

Air Flux 6300 A

AF6300A 33 C-3

7733701712

To the extent applicable to the product, the following data are based on the requirements of Regulation (EU) 2016/2281.

Productdata	Symbol	Unit	7733701712		
Information for air-to-air air conditioners (usage of this product for cooling purposes, table 11)					
model identifier of the indoor elements of the air conditioner			7733700963 (6x)		
model identifier of the outdoor element of the air conditioner			7733701712		
Outdoor side heat exchanger of air conditioner	air				
Indoor side heat exchanger of air conditioner	air				
Туре	vapour compression				
Driver of compressor	electric motor				
Rated cooling capaciy	P _{rated,c}	kW	33,5		
Design load Pdesignc	Pdesignc	kW	33,5		
Seasonal space cooling energy efficiency	$\eta_{s,c}$	%	269,1		
Seasonal energy efficieny ratio	SEER		6,8		
Declared cooling capacity for part load at given outdoor temperatures Tj and indoor 27°/19°C (dry/wet bulb)					
Declared capacity for cooling at indoor 27(19) °C and outdoor 35 °C	Pdc	kW	33,5		
Declared capacity for cooling at indoor 27(19) °C and outdoor 30 °C	Pdc	kW	24,7		
Declared capacity for cooling at indoor 27(19) °C and outdoor 25 °C	Pdc	kW	15,6		
Declared capacity for cooling at indoor 27(19) °C and outdoor 20 °C	Pdc	kW	7,9		
Degradation co-efficient cooling	Cdc		0,3		
Declared energy efficiency ratio or gas utilisation efficiency/auxiliary energy factor for part load at given outdoor Temperatures Tj					
Declared energy efficiency ratio at indoor 27(19) °C and outdoor 35 °C	EERd		2,8		
Declared energy efficiency ratio at indoor 27(19) °C and outdoor 30 °C	EERd		4,8		
Declared energy efficiency ratio at indoor 27(19) °C and outdoor 25 °C	EERd		7,9		
Declared energy efficiency ratio at indoor 27(19) °C and outdoor 20 °C	EERd		14,6		
Power consumption in modes other than active mode					
Off mode	P _{OFF}	kW	0,050		
Thermostat-off mode	P _{TO}	kW	0,005		
Crankcase heater mode	P _{CK}	kW	0,005		
In standby mode	P _{SB}	kW	0,050		
Other items					
Capacity control			variable		
Sound power level, outdoor	L _{WA}	dB	83,0		
Sound power level, indoor	L _{WA}	dB	-		
Air flow rate, outdoor measured	m³/h	m³/h	10000		
	•		•		

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to $2088 \, \text{kgCO}_{2 \, \text{eq}}$. This means that if 1 kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be $2088 \, \text{times}$ higher than 1 kg of CO_2 , over a period of $100 \, \text{years}$. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.



Air Flux 6300 A

AF6300A 33 C-3

7733701712

To the extent applicable to the product, the following data are based on the requirements of Regulation (EU) 2016/2281.

Productdata	Symbol	Unit	7733701712
Information for heat pumps (usage of this product for heating purposes, table 14)			
Outdoor side heat exchanger of air conditioner	air		
Indoor side heat exchanger of air conditioner	air		
Equipped with a supplementary heater?	No		
Driver of compressor	electric motor		
Rated heating capacity	P _{rated,h}	kW	33,5
Design load average climate	Pdesignh	kW	18,4
Seasonal space heating energy efficiency	$\eta_{s,h}$	%	180,7
SCOP/A average climate	SCOP/A		4,6
Declared heating capacity for part load at indoor temperature 20°C and outdoor temperature Tj			
Declared capacity for heating (average season) at indoor 20 °C outdoor -7 °C	Pdh	kW	16,3
Declared capacity for heating (average season)) at indoor 20 °C outdoor 2 °C	Pdh	kW	9,9
Declared capacity for heating (average season) at indoor 20 °C outdoor 7 °C	Pdh	kW	6,8
Declared capacity for heating (average season) at indoor 20 °C outdoor 12 °C	Pdh	kW	6,5
Declared capacity for heating (average season) at indoor 20 °C outdoor bivalent temperature	Pdh	kW	18,4
Declared capacity for heating (average season)) at indoor 20 °C outdoor operating limit	Pdh	kW	18,4
Bivalent temperature heating - average	Tbiv	°C	-10
Operational limit temperature heating - average	Tol	°C	-10
Degradation co-efficient heating	Cdh		0,3
Declared coefficient of performance for part load at given outdoor temperatures Tj			
Declared coefficient of performance (average season) at indoor 20 °C outdoor -7 °C	COPd		2,8
Declared coefficient of performance (average season) at indoor 20 °C outdoor 2 °C	COPd		4,1
Declared coefficient of performance (average season) at indoor 20 °C outdoor 7 °C	COPd		7,4
Declared coefficient of performance (average season) at indoor 20 °C outdoor 12 °C	COPd		8,9
Declared coefficient of performance (average season) at indoor 20 °C outdoor bivalent temperature	COPd		2,3
Declared coefficient of performance (average season) at indoor 20 °C outdoor operating limit	COPd		2,3
Power consumption in modes other than active mode			
In off mode	P _{OFF}	kW	0,050
In thermostat-off mode	P _{TO}	kW	0,050
In crankcase heater mode	P _{CK}	kW	0,005
In standby mode	P _{SB}	kW	0,050
Supplementary heater			
Back up heating capacity at reference design conditions		kW	0,0
Type of energy input			-
Other items	·	<u> </u>	
Capacity control			variable
Sound power level, outdoor	L _{WA}	dB	83,0
Sound power level, indoor	L _{WA}	dB	-
Emissions of nitrogen oxides (only gas- or oil fired)	NO _x	mg/kWh	-
Air flow rate, outdoor measured	m³/h	m³/h	10000
	,	,	10000



Air Flux 6300 A

AF6300A 33 C-3

7733701712

Productdata Symbol Unit 7733701712

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088 kgCO $_{2\,eq}$. This means that if 1 kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1 kg of CO $_{2}$, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.